## **☑** CHECKLIST FOR <u>RESTAURANTS</u>

### Page 1 of 3

As outlined in Governor Abbott's executive order GA-18, restaurants may operate for dine-in service up to 25% of the total listed occupancy of the restaurant, and may not offer valet services except for vehicles with placards or plates for disabled parking. As used in executive order GA-18, this applies only to restaurants that are not required to post the 51% sign required by the Texas Alcoholic Beverage Commission. Restaurants may continue to provide to-go or delivery services.

In accordance with Governor Abbott's executive order GA-18, the following are the minimum recommended health protocols for all restaurants choosing to operate in Texas. Restaurants may adopt additional protocols consistent with their specific needs and circumstances to help protect the health and safety of all employees and customers.

The virus that causes COVID-19 can be spread to others by infected persons who have few or no symptoms. Even if an infected person is only mildly ill, the people they spread it to may become seriously ill or even die, especially if that person is 65 or older with pre-existing health conditions that place them at higher risk. Because of the hidden nature of this threat, everyone should rigorously follow the practices specified in these protocols, all of which facilitate a safe and measured reopening of Texas. The virus that causes COVID-19 is still circulating in our communities. We should continue to observe practices that protect everyone, including those who are most vulnerable.

Please note, public health guidance cannot anticipate every unique situation. Restaurants should stay informed and take actions based on common sense and wise judgment that will protect health and support economic revitalization. Restaurants should also be mindful of federal and state employment laws and workplace safety standards.

### Health protocols for serving your customers:

- Parties maintain at least 6 feet distance apart from other parties at all times, including while waiting to be seated in the restaurant.
- Make a hand sanitizing station available upon entry to the restaurant.
  - No tables of more than 6 people.
- Dining:
  - Do not leave condiments, silverware, flatware, glassware, or other traditional table top items on an unoccupied table
  - Provide condiments only upon request, and in single use (non-reusable) portions.
    - Use disposable menus (new for each patron)
    - If a buffet is offered, restaurant employees serve the food to customers.
  - Contactless payment is encouraged. Where not available, contact should be minimized.

### **RESTAURANTS: Page 2 of 3**

#### Health protocols for your employees:

Train all employees on appropriate cleaning and disinfection, hand hygiene, and respiratory etiquette.

Screen employees before coming into the restaurant:

- Send home any employee who has any of the following new or worsening signs or symptoms of possible COVID-19:
  - Cough
  - Shortness of breath or difficulty breathing
- Sore throat
- Loss of taste or smell
- Diarrhea

- Chills

- Repeated shaking with chills
- Muscle pain
- Headache

greater than or equal to 100.0 degrees Fahrenheit

Feeling feverish or a measured temperature

- Known close contact with a person who is lab confirmed to have COVID-19
- Do not allow employees with the new or worsening signs or symptoms listed above to return to work until:
  - In the case of an employee who was diagnosed with COVID-19, the individual may return to work when all three of the following criteria are met: at least 3 days (72 hours) have passed since recovery (resolution of fever without the use of fever-reducing medications); and the individual has improvement in respiratory symptoms (e.g., cough, shortness of breath); and at least 7 days have passed since symptoms first appeared; or
  - In the case of an employee who has symptoms that could be COVID-19 and does not get evaluated by a medical professional or tested for COVID-19, the individual is assumed to have COVID-19, and the individual may not return to work until the individual has completed the same three-step criteria listed above; or
  - If the employee has symptoms that could be COVID-19 and wants to return to work before completing the above self-isolation period, the individual must obtain a medical professional's note clearing the individual for return based on an alternative diagnosis.
- Do not allow an employee with known close contact to a person who is lab-confirmed to have COVID-19 to return to work until the end of the 14 day self-quarantine period from the last date of exposure (with an exception granted for healthcare workers and critical infrastructure workers).

Have employees wash or sanitize their hands upon entering the restaurant, and between interactions with customers.

### **RESTAURANTS: Page 3 of 3**

- Have employees maintain at least 6 feet separation from other individuals. If such distancing is not feasible, measures such as face covering, hand hygiene, cough etiquette, cleanliness, and sanitation should be rigorously practiced
- Consistent with the actions taken by many restaurants across the state, consider having all employees wear cloth face coverings (over the nose and mouth). If available, employees should consider wearing non-medical grade face masks.

#### Health protocols for your facilities:

- Consider having an employee manage and control access to the restaurant, including opening doors to prevent patrons from touching door handles.
- Regularly and frequently clean and disinfect any regularly touched surfaces, such as doorknobs, tables, and chairs.
- Regularly and frequently clean restrooms, and document the cleanings.
- Disinfect any items that come into contact with customers.
- Make hand sanitizer, disinfecting wipes, soap and water, or similar disinfectant readily available to employees and customers.
- Place readily visible signage at the restaurant to remind everyone of best hygiene practices.
- Clean and disinfect the area used for dining (table, etc.) after each group of customers depart, including the disinfecting of tables, chairs, stalls, and countertops.
- Clean and sanitize restaurants daily.

#### CHECKLIST FOR RESTAURANT CUSTOMERS

## Page 1 of 1

In accordance with Governor Abbott's executive order GA-18, the following are the minimum recommended health protocols for all restaurant customers in Texas. These minimum health protocols are not a limit on the health protocols that individuals may adopt. Individuals are encouraged to adopt additional protocols consistent with their specific needs and circumstances to help protect the health and safety of all Texans.

The virus that causes COVID-19 can be spread to others by infected persons who have few or no symptoms. Even if an infected person is only mildly ill, the people they spread it to may become seriously ill or even die, especially if that person is 65 or older with pre-existing health conditions that place them at higher risk. Because of the hidden nature of this threat, everyone should rigorously follow the practices specified in these protocols, all of which facilitate a safe and measured reopening of Texas. The virus that causes COVID-19 is still circulating in our communities. We should continue to observe practices that protect everyone, including those who are most vulnerable.


Please note, public health quidance cannot anticipate every unique situation. Individuals should stay informed and take actions based on common sense and wise judgment that will protect health and support economic revitalization.

#### Health protocols for restaurant customers:

- Maintain at least 6 feet separation from other individuals not within the same party. If such distancing is not feasible, other measures such as face covering when not sitting at the table, hand hygiene, cough etiquette, cleanliness, and sanitation should be rigorously practiced.
- Self-screen before going into a restaurant for any of the following new or worsening signs or symptoms of possible COVID-19:

Cough		Sore throat
Shortness of breath or difficulty		Loss of taste or smell
 breathing		Diarrhea
Chills		Feeling feverish or a measured temperature
Repeated shaking with chills		greater than or equal to 100.0 degrees
Muscle pain	_	Fahrenheit
Headache		Known close contact with a person who is lab confirmed to have COVID-19

- Wash or disinfect hands upon entering a restaurant and after any interaction with employees, other customers, or items in the restaurant.
  - No tables of more than 6 people.



Consistent with the actions taken by many individuals across the state, consider wearing cloth face coverings (over the nose and mouth) when not at the table, or when within 6 feet of another person who is not a member of the individual's household. If available, individuals should consider wearing non-medical grade face masks.